



The SOLARPATH HIGHLIGHT SP-NTGL™ is the most advanced and sophisticated solar light pole available on the market. The solar light pole is completely off-grid and works autonomously, using sustainable solar power. This means there is no need for expensive cabling and invasive trenching, which results in fast installation, easy operation and a low total cost of ownership. Solar energy generated during the day is stored in high-quality lithium batteries, which are long-lasting and require minimum maintenance. The highly efficient LED-luminaire provides powerful lighting at night.

Technical Specifications

Solar Module Parameters	Type CIGS Ai pole		norphous flexible solar panel wrap on				
	Power	Up to 900	ow				
Solar Charge Controller Parameters	Туре	MPPT	МРРТ				
Battery type and parameters	Lithium (NMC)	Up to 150	Up to 150AH				
LED Light Parameters	Light Source Power		Up to 100W				
	Brightness		Up to 12,000 lm				
	CCT (Correlated Color Tempe	rature)	3,000K-6,000K/ Amber				
Operation profile	Dusk to dawn (dim per to solar radiation)						
Operation Temperature	26.6°F-113°F						
Height	Customized per to customer requirement						


Advantage


- CIGS Amorphous flexible solar panel wrap on pole
- Maintenance free.
- High LED performance.
- Battery and controller panel are build inside of pole.
- Controller: Optically control. Time control, antiover-discharge and short-circuit resistant.
- Material: Aluminum alloy, steel pole coated with electrostatic spray, anti-salted, anti- acid, weather and rust resistant.
- IP65


Uses and Applications Guide

Streets lighting	
Parking lots	
Walking/bike path	
Branch roads	
Residential roads	
Public parks	









LED B

Ordering guide: Example- SP-NTGL -A-85W-A -30W-5-30K-20AH-XXft-BLK

Model	Solar panel qty.	Solar panel	LED Head	LED Power	Distribution Type	Color Temp.	Battery capacity	Pole height	Body color
SP-NTGL	A – 1 panel B – 2 panels C – 3 panels D – 4 panels	85W 90W 100W 150W 180W	LED A	30W 50W 60W 80W 100W	3 – Type III 4 – Type IV 5 – Type V	30K 40K 50K 57K Amber	20AH 40AH 60AH 100AH 120AH 150AH	XX FT	BLK-Black *other colors available upon request

